



Our Range

Simple Outdoor Living for Every Space.



Decking

Cladding

Framing



Scan me to see
the range

Why deX?

Every outdoor space starts with a decision. Not just what to build, but what it should feel like when it's finished.

We make composite decking and cladding for people who want to get that decision right. Products that look the part from day one, hold up through every season, and never ask for more than an occasional clean.

Whether you're a homeowner planning your first deck, or a contractor fitting your fiftieth, our range is built to make your project easier and the result, something you're proud of.

Simple Outdoor Living. That is not a tagline. It is the point.

What's Inside

This brochure covers the full deX range, from our entry-level Classic Decking through to Premium Decking, Classic Slatted and Shiplap Cladding, as well as every accessory, fixing, and finishing trim you need to complete a project, from subframe to final detail. Everything you need in one place.

Free Samples

See it. Feel it. Order free samples of any range, delivered to your door.
Visit dexoutdoorliving.co.uk or speak to your local stockist.

The Range

Everything you need for a complete decking or cladding project, from boards to subframe to trims.



Decking

Classic Decking	04-07
Premium Decking	08-11



Cladding

Slatted Cladding	14-17
Shiplap Cladding	18-21



Ancillaries

Recycled Joists	12
Pedestals	12
Decking Fixings & Trims	13
Cladding Fixings & Trims	22



Classic Decking

Composite without the upkeep.

The starting point of the deX range. An uncapped composite built from 60% wood fibre and 30% recycled HDPE. Delivering the look of natural timber without splintering, rotting or warping.





Classic Decking

Five Colours. Two Finishes. One Board.

Every board is reversible: wood-grain on one face, grooved profile on the other. Five tones to suit any project.



Teak



Brown



Natural



Grey



Black

Features

Anti-slip surface
Won't rot, splinter, or warp
Eco-friendly

Composition

60% wood fibre
30% recycled HDPE
10% additives

Specification

Board size: 148 x 25mm
Lengths: 3m, 3.6m, 5m
Warranty: 10 years

Where it works best:

Residential gardens, patios, balconies, holiday lets and recreation spaces.





Premium Decking

Built to outlast.

A UK first: Composite decking built around a hollow stone-mineral core. Capped, no timber, near-zero movement and a UV-stable surface that holds its colour. Covered by a 25-year domestic and 15-year commercial warranty.





Premium Decking


Two Boards. One Design. Zero Compromise

Two boards, each reversible. Black flips to Grey, Natural flips to Teak. Both faces are fully capped, so either side can be laid face-up.

Flip the board.
Change the look.



Natural/Teak



Black/Grey

Features

- Minimal board movement
- UV stable surface
- Tough mineral core
- Patented fixing clips

Composition

- Core: PVC/stone mineral composite
- Capping: ASA (Acrylonitrile Styrene Acrylate)

Specification

- Board size: 140 x 25mm
- Length: 3.66m
- Warranty: 25/15 years

Where it works best:

Restaurants, hotels, residential gardens, balconies, holiday lets and high-traffic public spaces.



Joists & Framing

The subframe is the foundation of every decking installation. It carries the load, manages drainage and determines how long the deck above it will last.



Hollow Composite Joist
30x40mm | 5m | WPC Material

Designed for Classic Decking, for installations on a solid base



50x50 Solid Recycled Joist
2.4m | 100% Recycled Plastic

Fully waterproof, and can be supported by pedestals



50x100 Solid Recycled Joist
3m | 100% Recycled Plastic

Larger profile for structural use with posts or pedestals

Height Adjustable Pedestals

Pedestals are ideal for areas like patios or balconies, making up the required deck height where installing posts is not feasible.

Ranging from 25mm to 270mm heights, this 5-pedestal range ensures all bases are covered, literally.



Fixings & Finishing

Classic Decking Accessories



Classic Decking Starter Clips
PK20 | Stainless Steel
Fixes first and last board rows



Classic Anti-Creep Clips
PK20 | Stainless Steel
Reduces linear board shifting



Classic Decking T-Clips
PK100 | Plastic
Creates a 5-6mm gap



Classic Decking Hidden Clips
PK100 | Stainless Steel
Creates a 3–4mm gap



Classic Decking Angle Trim
45 x 45mm | 3m, 3.6m or 5m
Finishes exposed board edges



Classic Decking Step Board
140mm x 50mm x 25mm | 3m
An alternative to angle trims

Premium Decking Accessories



Premium Decking Angle Trim
35 x 35mm | PVC | 3.66m
Finishes exposed board edges



Premium Decking T-Clips
PK100 | Polymer-coated steel
Patented locking design




Premium Decking Starter Clips
PK20 | Stainless Steel
Fixes first and last board rows




Classic Slatted Cladding

Contemporary look. Minimal upkeep.

A slatted composite cladding board delivering the shadow lines and depth of timber without the rot, splitting or repainting.






Classic Slatted Cladding

Clean Finish. Every Angle.

One slatted profile in three colours: Charcoal, Light Grey and Golden Teak. The slats cast sleek shadow lines and create a seamless surface of visual depth.

Choose your finish



Charcoal



Light Grey



Golden Teak

Features

Quick & simple to install
Low maintenance
Capped WPC material

Composition

55% wood powder
35% recycled HDPE
10% additives

Specification

Board size: 26 x 219mm*
Lengths: 2.5 & 3.6m
Warranty: 10 years

*finished coverage is 200mm

Where it works best:

Residential walls, garden rooms, boundary fencing, commercial frontages, hospitality buildings, balcony screens and architectural feature panels.






Classic Shiplap Cladding

Traditional look. Modern build.

A shiplap composite delivering the look of traditional timber boarding without the rot, splitting or repainting.





Classic Shiplap Cladding

Classic Looks. Modern Style.

A shiplap profile in three colours: Charcoal, Light Grey and Teak. Perfect for traditional and modern builds alike. None of the rot, splitting or upkeep of timber.

Choose your finish



Charcoal



Light Grey



Teak

Features

Traditional shiplap design
Quick & simple to install
Capped WPC material

Composition

60% wood powder
30% recycled HDPE
10% additives

Specification

Board size: 21 x 174mm*
Lengths: 2.5 & 3.6m
Warranty: 10 years
*finished coverage 150mm

Where it works best:

Residential renovations, period property extensions, garden rooms, outbuildings, holiday lodges, light commercial facades and feature walls.



Neat Corners. Clean Edges. Finished.

Every detail sorted.

The trims, clips and fixings that complete a cladding installation. Every detail is designed to match the boards and keep the finished result looking intentional.



Cladding Fixing Screws
PK100 | Stainless Steel
Fixes Shiplap or Slatted cladding to timber or composite battens.



Shiplap Cladding Starter Clips
PK20 | Stainless Steel
Sets the first row of Shiplap boards and aligns the rest of the install.



Slatted Cladding Clips
PK100 | 1 screw per clip included
Secures boards vertically while allowing expansion and contraction along the length.



Slatted Cladding Internal Corner
3.6m | Capped WPC | 3 colours
Finishes inside corners with a tongue and groove profile for a secure, seamless joint.



Slatted Cladding External Corner
3.6m | Capped WPC | 3 colours
Finishes outside corners. Same tongue and groove connection.



Cladding Angle Trim
3.6m | Capped WPC | 3 colours
Right-angled trim for Slatted and Shiplap. Hides cut edges and fixings for a tidy perimeter.



General Care

- Clean products periodically with warm water and a soft brush. Avoid bleach and harsh detergents.
- Avoid direct ground contact with soil or grass. Ensure airflow is maintained beneath all decking installations.
- Uncapped composite boards (Classic Decking) will lighten naturally within the first 12 months before the colour stabilises. Water marks and tannin staining may appear in early months and will fade with normal weathering.



Explore the collection dexoutdoorliving.co.uk



For more information or technical advice, email info@dexoutdoorliving.co.uk